The Fence Book



Boundaryline

Contents

Dura**Panel**	04
Mode**Panel**	12
Picket**Panel**	16
Sentry**Panel**	**22**
Colour**Panel**	30
Colour**Slat**	36
Smart**Wall**	42
Sleek**Wall**	48
Flame**Wall**	56
Green **Screen**	**60**
Bin **Stores**	**64**
Post&**Rail**	66
Custom **Entranceways and Signs**	**70**
Lifestyle **Timber Gates**	72
Timber **Bollards**	74
Heritage **Custom Gates and Fences**	**76**



Auckland



Christchurch


Invercargill

We make fencing easy

Who we are

Innovation has been at the heart of what we do at Boundaryline Fencing Systems. The company was founded in Invercargill with a range of timber Post&Rail fencing products many years ago. We quickly found there were people throughout the New Zealand construction industry that liked our way of doing things, so our range of fencing systems grew quickly to meet the requirements of the market.

With the widest range of fencing systems available on the New Zealand market and located in Auckland, Christchurch, and Invercargill – we have the products, service and attitude to make fencing easy for you.

Our promise

We're a customer focused team, dedicated to making it easy for anyone in New Zealand to get the fence they need. We listen to what you tell us and work with you to reach the best solution for your project.

Our values

Right thing, right now

- Integrity, fairness and respect is non-negotiable
- Act professionally and be authentic
- Be a role model; for each other, and the brand

Together we win

- One team; whatever your role, wherever you are
- Every interaction must be a win-win
- Celebrate the successes and learn from the losses

Dig deep when it matters

- We're diligent and dependable
- Prioritise; focus on what's important now
- Go the extra mile, do what needs to be done

Seize the opportunity

- Better never stops; challenge the status quo
- Take action; time waits for no one
- There's a solution to every problem, and an opportunity in every challenge

DURAPANEL


DuraPanel Axis

Smart fencing for homes, pools and schools


DuraPanel Vecta


DuraPanel Delta

Boundaryline DuraPanel aluminium fencing is a sleek and stylish option for a wide variety of applications, including pool fencing, landscape fencing, balustrades, education centres, and more.

With high quality components and a sleek, cohesive design, DuraPanel complies with all New Zealand pool fencing regulations, meeting council requirements and helping to keep children safe.

The DuraPanel range has been designed for durability and style, while still remaining cost effective. Comprising of six designs, with option for raked panels to suit sloped terrain, DuraPanel fencing provides an attractive and long lasting fence line, with matching gates available.

The DuraPanel range can be customised to suit your project, offering a variety of colour options, and custom fence and gate styles to meet specific design requirements.

All DuraPanel fencing is designed for quick and simple installation, featuring modular components and fully welded panels.

Producer statements are available for pool fencing, balustrades, and retaining wall fencing compliance.

DURAPANEL

Design Options

Axis



Panel height — 1200mm
Panel length — 2250mm
Horizontal rails — 25x25mm
Vertical bars — 50x25mm
Vertical bar spacing — 95mm
Post size — 50x25mm

Delta



Panel height — 950 / 1200mm
Panel length — 2250mm
Raking panel length — up to 2250mm*
Horizontal rails — 40x40mm
Vertical bars — 19x19mm
Vertical bar spacing — 95mm
Post size — 50x50mm

Delta 35
Safety fencing



Panel height — 1200mm
Panel length — 2400mm
Raking panel length — up to 2400mm*
Horizontal rails — 40x40mm
Vertical bars — 19x19mm
Vertical bar spacing — 91.5mm
Post size — 65x65mm

Polo



Panel height — 1200 / 1500 / 1800mm
Panel length — 2250mm
Raking panel length — up to 2400mm*
Horizontal rails — 40x40mm
Vertical bars — 19x19mm
Vertical bar spacing — 95mm
Post size — 50x50 / 65x65mm

Titan
Safety fencing



Panel height — 1200mm
Panel length — 2330mm
Raking panel length — up to 2330mm*
Horizontal rails — 50x25mm
Vertical bars — 19x19mm
Vertical bar spacing — 93mm
Post size — 65x65mm

Vecta



Panel height — 1200 / 1500mm
Panel length — 2250mm
Raking panel length — up to 2400mm*
Horizontal rails — 40x40mm
Vertical bars — 19x19mm
Vertical bar spacing — 95mm
Post size — 50x50mm

Reversible, can be installed with rods facing down

*Final length of the panel, vertical bar spacing and distance between posts will decease dependant on the degree of rake.

Design Features



High Quality

Powder coated finish. Standard in black with custom options available

Quick and Simple Installation

Modular system with screw on brackets

Strong Rails

Robust horizontal rails

Raking Options

Rakeable options to meet sloping ground

Pool Safety Design

Keeps children safe around pools. *Refer to PS1 for guidance*

F4 and F9 Compliance*

F4 and F9 Compliance for some DuraPanel Designs.
Refer to PS1 for guidance

Available colours

Black

Custom colours available on request


DuraPanel Axis


DuraPanel Titan

*To comply with **F4** (Safety From Falling) and **F9** (Pool Fencing) **NZBC** requirements, all products must be installed as per Boundaryline's PS1
More information about DuraPanel and compliance is available at boundaryline.co.nz.

DURAPANEL
Technical Drawings

Visit boundaryline.co.nz for detailed technical drawings

Axis



Delta



Polo



Vecta



*Final length of the panel, vertical bar spacing and distance between posts will decease dependant on the degree of rake.

Safety Fencing

F4 Safety From Falling compliance

The purpose of F4 (Safety From Falling) compliance, is to safeguard individuals from any potential injuries that may occur due to falls from height in residential, commercial and public settings.

F4 compliance ensures that buildings are constructed to reduce the likelihood of any accidental falls, and barriers are in place where there is a potential fall hazard of one metre or more.

The Boundaryline DuraPanel Safety Fencing range has been designed and constructed to withstand harsh environmental factors, including wind, impact and corrosion (see PS1 for detail).

Made from high quality powder coated aluminium, which is naturally resistant to rust, and engineered for long lasting durability.


DuraPanel Titan

Delta 35

Developed to withstand 0.35kN loading in F4 situations, our Delta 35 aluminium fencing meets the highest industry standards for safety, durability, and performance.

Designed for F4 applications in residential properties, this fencing system adheres to the stringent New Zealand guidelines, with pre-engineered fixing details to suit most common applications.

Specifications

Panel size:
Height: 1200mm
Length: 2400mm

Panel Profile:
40x40mm rails
19x19mm vertical bars
91.5mm vertical bar spacing

Bracket size:
40x40mm

Post Size:
65x65mm

Post Centres: 2470mm max post centres with 65x65mm posts



Titan

Developed in conjunction with engineers, civil contractors, local authorities and industry specialists, TItan was developed to provide a straightforward and effective system for protection on top of retaining walls. Designed to withstand 0.75kN loading, Titan is the preferred fencing for F4 applications.

Titans post centres are set at 2400mm apart to simplify installation on cantilever walls. Titan can streamline the installation process, resulting in less time on site, fewer materials required, and lower installation costs.

Specifications

Panel size:
Height: 1200mm
Length: 2330mm

Panel Profile:
50x25mm rails
19x19mm vertical bars
93mm vertical bar spacing

Bracket size:
50x25mm

Post Size:
65x65mm

Post Centres: 2400mm max post centres with 65x65mm posts



*Final length of the panel, vertical bar spacing and distance between posts will decease dependant on the degree of rake.

To comply with **F4** (Safety From Falling) and **F9** (Pool Fencing) **NZBC** requirements, all products must be installed as per Boundaryline's PS1
More information about DuraPanel and compliance is available at boundaryline.co.nz.

DURAPANEL
Pedestrian Gates

Adjustable Pedestrian Gates

Assembled pedestrian gates with removable stiles and componentry. Designed for easy on-site customisation.

These gates can be easily disassembled and reassembled on-site to fit any space and work with both 50x50 and 65x65mm posts.



Pedestrian Gates

Fully welded pedestrian gates. Standard sizing options listed below to match our DuraPanel fencing range, available ex stock.

Made to order custom sizing options available to suit your requirements.

Axis



Height 1200mm
Width 950mm
Horizontal rails 25x25mm
Vertical bars 50x25mm
Stile size 50x25mm
Ex. stock available

Delta



Height 950 / 1200mm
Width 950 / 1200mm
Horizontal rails 40x40mm
Vertical bars 19x19mm
Stile size 50x50mm
Ex. stock available

Delta



Height 950 / 1200mm
Width 1160mm (adjustable width)
Horizontal rails 40x40mm
Vertical bars 19x19mm
Stile size 50x50mm
Ex. stock

Polo



Height 1200 / 1500 / 1800mm
Width 950mm
Horizontal rails 40x40mm
Vertical bars 19x19mm
Stile size 50x50mm
Ex. stock available

Polo



Height 1200 / 1500 / 1800mm
Width 1160mm (adjustable width)
Horizontal rails 40x40mm
Vertical bars 19x19mm
Stile size 50x50mm
Ex. stock

Titan



Height 1200mm
Width 950mm
Horizontal rails 50x25mm
Vertical bars 19x19mm
Stile size 50x50mm
Ex. stock available

Vecta



Height 1200 / 1500mm
Width 1160mm (adjustable width)
Horizontal rails 40x40mm
Vertical bars 19x19mm
Stile size 50x50mm
Ex. stock

Vecta



Height 1200 / 1500mm
Width 950mm
Horizontal rails 40x40mm
Vertical bars 19x19mm
Stile size 50x50mm
Ex. stock available

Detailed technical drawings are available at boundaryline.co.nz

DURAPANEL
Driveway and Sliding Gates

Driveway Swing Gates

Fully welded driveway swing gates. Manufactured to order with standard sizing options listed below or you can fully customise your swing gate to suit your requirements.

Made to order custom sizing options available to suit your requirements.

Sliding Gates

Fully welded driveway sliding gates. Manufactured to order with standard sizing options listed below or fully customised to suit your requirements.

Measurements do not include ground clearance required for wheels and gate track. Typical clearance from finished ground level is 43mm.

Axis



Height 1200mm
Width 1000 - 2300mm*
Horizontal rails 50x50mm
Vertical bars 50x25mm
Stile size 50x50mm

Axis



Height 1200mm
Width up to 6000mm*
Horizontal rails 50x50mm
Bottom rail 100x50mm
Vertical bars 50x25mm
Stile size 50x50mm

Delta



Height 950 / 1200mm
Width 1000 - 2300mm*
Horizontal rails 40x40mm
Vertical bars 19x19mm
Stile size 50x50mm

Delta



Height 950 / 1200mm
Width up to 6000mm*
Horizontal rails 40x40mm
Bottom rail 100x50mm
Vertical bars 19x19mm
Stile size 50x50mm

Polo



Height 1200 / 1500 / 1800mm
Width 1000 - 2300mm*
Horizontal rails 40x40mm
Vertical bars 19x19mm
Stile size 50x50mm

Polo



Height 1200 / 1500 / 1800mm
Width up to 6000mm*
Horizontal rails 40x40mm
Bottom rail 100x50mm
Vertical bars 19x19mm
Stile size 50x50mm

Titan



Height 1200mm
Width 1000 - 2300mm*
Horizontal rails 50x25mm
Vertical bars 19x19mm
Stile size 50x50mm

Titan



Height 1200mm
Width up to 6000mm*
Horizontal rails 50x25mm
Bottom rail 100x50mm
Vertical bars 19x19mm
Stile size 50x50mm

Vecta



Height 1200 / 1500mm
Width 1000 - 2300mm*
Horizontal rails 40x40mm
Vertical bars 19x19mm
Stile size 50x50mm

Vecta



Height 1200 / 1500mm
Width up to 6000mm*
Horizontal rails 40x40mm
Bottom rail 100x50mm
Vertical bars 19x19mm
Stile size 50x50mm

For longer gates, our team will work with you to design your custom gate solution.

MODEPANEL


ModePanel Arc

Sleek, strong and seamlessly modern


ModePanel Arc


ModePanel Arc

ModePanel Arc is a fully welded aluminium fin panel fence system engineered for strength, precision, and architectural appeal. Designed to deliver a clean, cohesive aesthetic, it provides a modern fencing solution that balances durability with refined style.

ModePanel Arc's defining feature is its streamlined post profiles, which mirror the panel's vertical fins to create a flush, seamless fence line. This alignment removes the visual interruption of traditional square post and panel systems, offering a continuous, architectural rhythm that works beautifully with modern landscapes and building facades.

Producer statements are available for pool fencing, balustrades, and retaining wall fencing compliance.

MODEPANEL

Design Options

Arc Panel



Panel height — 950 / 1200 / 1500 / 1800mm
Panel length — 2400mm
Fin size — 65x16mm
Fin spacing — 90mm
Rail size — 40x40mm
In-line post — 110x32mm
Corner post — 100x100mm

Arc Adjustable Gate



Gate height — 950 / 1200 / 1500 / 1800mm
Gate length — 1160mm (adjustable width)
Fin size — 65x16mm
Fin spacing — 90mm
Rail size — 40x40mm
Stile size — 110x32mm

Arc Pedestrian Gate



Gate height — 950 / 1200 / 1500 / 1800mm
Gate length — 900mm*
Fin size — 65x16mm
Fin spacing — 90mm
Rail size — 40x40mm
Stile size — 110x32mm

Arc Swing Gate



Gate height — 950 / 1200 / 1500 / 1800mm
Gate length — 2300mm*
Fin size — 65x16mm
Fin spacing — 90mm
Frame size — 50x50mm

Arc Sliding Gate



Gate height — 950 / 1200 / 1500 / 1800mm
Gate length — Manufactured to requirements
Fin size — 65x16mm
Fin spacing — 90mm
Frame size — 50x50mm
Bottom rail — 50x100mm

Custom sizes available. Contact our team and we will work with you to design your custom gate solution.

Design Features



Streamlined Posts

110x32mm post profiles for a smooth, continuous fence line

Fully Welded Aluminium Panels

Offering superior strength and durability, with easy installation

Architectural Modern Design

Permeability and privacy with an architectural edge

Quick and Simple Installation

Modular system with screw on brackets

F4 and F9 Compliance*

F4 and F9 Compliance for some ModePanel Designs.
Refer to PS1 for guidance

Available colours

Black

Custom colours available on request





*To comply with **F4** (Safety From Falling) and **F9** (Pool Fencing) **NZBC** requirements, all products must be installed as per Boundaryline's PS1
More information about DuraPanel and compliance is available at boundaryline.co.nz.

PICKETPANEL


PicketPanel Atlas

Classic charm meets modern design

PicketPanel aluminium picket fencing is the perfect fence for a charming yet modern fence solution.

PicketPanel embraces the nostalgia of the traditional picket fence, enhanced with the strength and durability of powder coated aluminium. Its sleek lines create a clean and contemporary fence line that complements a variety of architectural styles, offering timeless appeal reminiscent of the classic picket fence.

With its ease of installation and low maintenance, PicketPanel is an ideal fencing choice for a wide range of applications. It offers versatility with raked panel options to suit sloping ground, as well as a range of matching pedestrian gates and made to order driveway and sliding gates.

PicketPanel was designed in consultation with industry partners to meet the needs of New Zealand's increase in medium density housing. Available in five distinct designs, with gates to match and the colour choice of black or frost powder coated finishes.


PicketPanel Atlas | PicketPanel Juno


PicketPanel Opus

PICKET**PANEL**

Design Options

Atlas



Panel height — 950 / 1200 / 1500 / 1800mm
Panel length — 2430mm
Picket size — 50x16mm
Picket spacing — 50mm
Rail size — 50x32mm
Post size — 50x50 / 65x65mm

Juno



Panel height — 950 / 1200 / 1500 / 1800mm
Panel length — 2430mm
Picket size — 70x16mm
Picket spacing — 30mm
Rail size — 50x32mm
Post size — 65x65mm

Opus

Panel height — 950 / 1200 / 1500 / 1800mm
Panel length — 2430mm
Picket size — 50x16 and 70x16mm
Picket spacing — 30, 40 and 50mm
Rail size — 50x32mm
Post size — 50x50 / 65x65mm

Forte



Panel height — 950 / 1200 / 1500 / 1800mm
Panel length — 2430mm
Picket size — 50x16 and 70x16mm
Picket spacing — 30, 40 and 50mm
Rail size — 50x32mm
Post size — 50x50 / 65x65mm

Rondo



Panel height — 950 / 1200 / 1500 / 1800mm
Panel length — 2430mm
Picket size — 70x16mm
Picket spacing — 30mm
Rail size — 50x32mm
Post size — 65x65mm

65x65mm posts required for all 1800mm high PicketPanel fencing

Design Features



Traditional Style Pickets

Inspired by the traditional picket fence

Aluminium Construction

Strength, durability and low maintenance

Quick and Simple Installation

Modular system with screw on brackets

Raking Design

All panels are constructed to rake to meet sloping ground

Matching Gates

Matching pedestrian, driveway and sliding gates available

F4 and F9 Compliance*

F4 and F9 Compliance for some PicketPanel Designs.
Refer to PS1 for guidance

Available colours

Black Frost

Custom colours available on request



PicketPanel Juno



PicketPanel Atlas

*To comply with **F4** (Safety From Falling) and **F9** (Pool Fencing) **NZBC** requirements, all products must be installed as per Boundaryline's PS1
More information about DuraPanel and compliance is available at boundaryline.co.nz.

PICKET**PANEL**
Technical Drawings

Visit boundaryline.co.nz for detailed technical drawings

Atlas



Juno



Opus



Forte



Rondo



*Final length of the panel, picket spacing and distance between posts will decease dependant on the degree of rake.

*To comply with **F4** (Safety From Falling) and **F9** (Pool Fencing) **NZBC** requirements, all products must be installed as per Boundaryline's PS1
More information about PicketPanel and compliance is available at boundaryline.co.nz.

PICKET**PANEL**
Pedestrian Gates

Adjustable Pedestrian Gates

Assembled pedestrian gates with removable stiles and componentry. Designed for easy on-site customisation.

These gates can be easily disassembled and reassembled on-site to fit any space.

Atlas



Height 950 / 1200 / 1500 / 1800mm
Width Up to 1250mm
Vertical pickets 50x16mm
Picket spacing 50mm
Horizontal rails 50x32mm
Stile size 50x50mm
Ex. stock

Forte



Height 950 / 1200 / 1500 / 1800mm
Width Up to 1250mm
Vertical pickets 50x16 and 70x16mm
Picket spacing 30, 40 and 50mm
Horizontal rails 50x32mm
Stile size 50x50mm
Ex. stock

Juno



Height 950 / 1200 / 1500 / 1800mm
Width Up to 1180mm
Vertical pickets 70x16mm
Picket spacing 30mm
Horizontal rails 50x32mm
Stile size 50x75mm
Ex. stock

Opus



Height 950 / 1200 / 1500 / 1800mm
Width Up to 1250mm
Vertical pickets 50x16 and 70x16mm
Picket spacing 30, 40 and 50mm
Horizontal rails 50x32mm
Stile size 50x50mm
Ex. stock

Rondo



Height 950 / 1200 / 1500 / 1800mm
Width Up to 1180mm
Vertical pickets 70x16mm
Picket spacing 30mm
Horizontal rails 50x32mm
Stile size 50x75mm
Ex. stock

Larger gates, sliding gates and custom gate sizes available on request


PicketPanel Juno


PicketPanel Atlas

SENTRY**PANEL**


SentryPanel Spear Top

New Zealand's premium security fencing


SentryPanel School Panel


SentryPanel Rod Top

Enhance your property's security with SentryPanel, Boundaryline's stylish and high quality security fence and gate range.

Designed with long anti-climb gaps between rails makes SentryPanel virtually unscalable, without compromising on aesthetic appeal.

From the intruder-deterrent Spear Top and Rod Top security fence panels, to our specifically designed School Panel, made for schools and other education centres, SentryPanel provides a safe and secure boundary for a wide range of applications.

SentryPanel is manufactured from heavy-wall aluminium for strength and longevity, with a black powder coat finish for added durability.

Where extra strength is required, custom steel options are available on request.

SENTRY**PANEL**

Design Options

Flat Top



Panel height 1500 / 1800mm
Panel length 2250mm
Raking panel length up to 2400mm*
Horizontal rails 40x40mm
Vertical bars 25x25mm
Vertical bar spacing 95mm
Post size 65x65mm

Custom manufactured steel products available on request

Playground Panel



Panel height 950 / 1200 / 1500 / 1800mm
Panel length 2400mm
Horizontal rails 40x40mm
Vertical bars 25x25mm
Vertical bar spacing 85.5mm
Post size 65x65mm

Playground Panel is designed with built in raking

Rod Top



Panel height 1800mm
Panel length 2250mm
Raking panel length up to 2400mm*
Horizontal rails 40x40mm
Vertical bars 25x25mm
Vertical bar spacing 110mm
Post size 65x65mm

Custom manufactured steel products available on request

Spear Top



Panel height 1800 / 2100mm
Panel length 2250mm
Raking panel length up to 2400mm*
Horizontal rails 40x40mm
Vertical bars 25x25mm
Vertical bar spacing 110mm
Post size 65x65mm

Custom manufactured steel products available on request

School Panel



Panel height 1500 / 1800mm
Panel length 2250mm
Raking panel length up to 2400mm*
Horizontal rails 40x40mm
Vertical bars 25x25mm
Vertical bar spacing 95mm
Post size 65x65mm

Custom manufactured steel products available on request

*Final length of the panel, vertical bar spacing and distance between posts will decease dependant on the degree of rake.

Design Features



Intruder Deterrent

Spear Top and Rod Top options to deter potential intruders

High Quality

Powder coated finish is standard in black with custom options available

Quick and Simple Installation

Modular system with screw on brackets

Strong Rails

40x40mm rails

Square Verticals

25x25mm for added strength and better appearance

Aluminium Construction

This fence won't rust

F4 and F9 Compliance*

F4 and F9 Compliance for some SentryPanel Designs.
Refer to PS1 for guidance

Available colours

Black

Custom colours available on request



SentryPanel School Panel



SentryPanel Flat Top

*To comply with **F4** (Safety From Falling) and **F9** (Pool Fencing) **NZBC** requirements, all products must be installed as per Boundaryline's PS1
More information about DuraPanel and compliance is available at boundaryline.co.nz.

SENTRY**PANEL**

Technical Drawings

Visit boundaryline.co.nz for detailed technical drawings

Flat Top



Playground Panel



School Panel



*Final length of the panel, vertical bar spacing and distance between posts will decease dependant on the degree of rake.

*To comply with **F4** (Safety From Falling) and **F9** (Pool Fencing) **NZBC** requirements, all products must be installed as per Boundaryline's PS1
More information about SentryPanel and compliance is available at boundaryline.co.nz

Security Fencing

Security with visual appeal

SentryPanel Rod Top and Spear Top are designed with intruder deterrent members protruding from the top of the panels.

Spear Top's pressed spear profile delivers enhanced security, while Rod Top's rod design maintains a defensive character, with both designs providing a clean architectural aesthetic suited to contemporary environments.



SentryPanel Spear Top

Rod Top



Spear Top



Your trusted partner for security fence and gate solutions

Boundaryline is New Zealand's leading provider of reliable security fence and gate solutions. Engineered for long-term performance and value, we work closely with construction companies, property owners, and designers to deliver security fencing and custom-tailored gates for any application.

Whether you need a secure entrance for your home, a robust fence and gate for your commercial property, or a stylish fence and gate for your design project, Boundaryline has the expertise and experience to meet your specific requirements.



SentryPanel Spear Top

SENTRY**PANEL**
Pedestrian and Swing Gates

Pedestrian Gates

Fully welded pedestrian gates. Standard sizing options listed below to match our SentryPanel fencing range, available ex stock.

Made to order custom sizing options available to suit your requirements.

Flat Top



Height 1500 / 1800mm
Width custom made to order
Horizontal rails 40x40mm
Vertical bars 25x25mm
Stile size 65x65mm

Playground Panel



Height 950 / 1200 / 1500 / 1800mm
Width manufactured to order
Horizontal rails 40x40mm
Vertical bars 25x25mm
Stile size 65x65mm

School Panel



Height 1500 / 1800mm
Width 960 / 1210mm or custom
Horizontal rails 40x40mm
Vertical bars 25x25mm
Stile size 65x65mm
Ex. stock available

Rod Top



Height 1800mm
Width 1200mm or custom
Horizontal rails 40x40mm
Vertical bars 25x25mm
Stile size 65x65mm
Ex. stock available

Spear Top



Height 1800 / 2100mm
Width 1200mm or custom
Horizontal rails 40x40mm
Vertical bars 25x25mm
Stile size 65x65mm
Ex. stock available

Driveway Swing Gates

Fully welded driveway swing gates. Manufactured to order with standard sizing options listed below or you can fully customise your swing gate to suit your requirements. Contact our team to discuss options for your gate.

Made to order custom sizing options available to suit your requirements.

Flat Top



Height 1500 / 1800mm
Width 1200 - 4500mm
Horizontal rails 40x40mm
Vertical bars 25x25mm
Stile size 65x65mm

Playground Panel



Height 950 / 1200 / 1500 / 1800mm
Width manufactured to order
Horizontal rails 40x40mm
Vertical bars 25x25mm
Stile size 65x65mm

School Panel



Height 1500 / 1800mm
Width 1000 - 2300mm or custom
Horizontal rails 40x40mm
Vertical bars 25x25mm
Stile size 65x65mm

Rod Top



Height 1800mm
Width 1200 - 4500mm
Horizontal rails 40x40mm
Vertical bars 25x25mm
Stile size 65x65mm

Spear Top



Height 1800 / 2100mm
Width 1200 - 4500mm
Horizontal rails 40x40mm
Vertical bars 25x25mm
Stile size 65x65mm

Detailed technical drawings are available at boundaryline.co.nz

SENTRY**PANEL**
Sliding and Cantilever Gates

Sliding Gates

Fully welded driveway sliding gates. Manufactured to order with standard sizing options listed below or fully customised to suit your requirements. Contact our team to discuss options for your gate.

Measurements do not include ground clearance required for wheels and gate track. Typical clearance from finished ground level is 43mm.

Flat Top



Height 1500 / 1800mm
Width up to 9500mm*
Horizontal rails 65x65mm
Bottom rail 150x85mm
Vertical bars 25x25mm
Stile size 65x65mm

School Panel



Height 1500 / 1800mm
Width up to 9500mm*
Horizontal rails 65x65mm
Bottom rail 150x85mm
Vertical bars 25x25mm
Stile size 65x65mm

Rod Top



Height 1800mm
Width up to 9500mm*
Horizontal rails 65x65mm
Bottom rail 150x85mm
Vertical bars 25x25mm
Stile size 65x65mm

Spear Top



Height 1800 / 2100mm
Width up to 9500mm*
Horizontal rails 65x65mm
Bottom rail 150x85mm
Vertical bars 25x25mm
Stile size 65x65mm

Cantilever Gates

Fully welded sliding cantilever gates. Manufactured to order with standard sizing options listed below or fully customised to suit your requirements. Contact our team to discuss options for your gate.

Flat Top



Height 1500 / 1800mm
Width up to 9500mm*
Horizontal rails 65x65mm
Bottom rail 150x85mm
Vertical bars 25x25mm
Stile size 65x65mm

School Panel



Height 1500 / 1800mm
Width up to 9500mm*
Horizontal rails 65x65mm
Bottom rail 150x85mm
Vertical bars 25x25mm
Stile size 65x65mm

Rod Top



Height 1800mm
Width up to 9500mm*
Horizontal rails 65x65mm
Bottom rail 150x85mm
Vertical bars 25x25mm
Stile size 65x65mm

Spear Top



Height 1800 / 2100mm
Width up to 9500mm*
Horizontal rails 65x65mm
Bottom rail 150x85mm
Vertical bars 25x25mm
Stile size 65x65mm

For longer gates, our team will work with you to design your custom gate solution.

COLOURPANEL



ColourPanel Classic

Setting the standard in residential fencing



ColourPanel Classic



ColourPanel Classic

For great looking, low maintenance privacy fencing, Boundaryline ColourPanel sets the standard across New Zealand.

ColourPanel features a same-both-sides design, which makes it ideal for urban properties. With an identical profile on each side, both neighbours get the ‘good’ side of the fence.

ColourPanel Slat Top features a section of slats at the top, adding visual interest, permeability and airflow without compromising privacy.

Made from durable prefinished steel and protected by a four-step anti-corrosion coating process, ColourPanel ensures an attractive, long-lasting fence.

Installation is quick and simple, with modular, colour matched components. Minimal maintenance is required, and matching gates are available to create a seamless, cohesive fence line.

COLOUR**PANEL**

Design Options

Classic



Panel height ——— 900* /1200 / 1500 / 1800 / 2100mm*
Post centres ——— 2380mm
Panel profile ——— Steel reflect panel
Post size ——— 65x50mm C-post

**900 and 2100mm panels are available to order.*
All other panels available ex. stock

Slat Top



Panel height ——— 1200* / 1500 / 1800 / 2100 / 2400mm*
Post centres ——— 2380mm
Panel profile ——— Reflect panel with 300mm slats
Post size ——— 65x50mm C-post

**1200 and 2400mm panels are available to order.*
All other panels available ex. stock

ColourPanel Fencing 2100mm or higher requires additional 65mm box section steel posts between panels


ColourPanel Classic

Design Features



Pre-Finished Components
All parts are colour matched

High Quality
Prefinised steel with a 4 step anti-corrosion process.

Quick and Simple Installation
Cost effective modular system

Low Maintenance
The fence that never needs painting or staining

Same Both Sides
Both neightbours get the ‘good’ side of the fence

Complete Privacy
No gaps in the panels

F4 and F9 Compliance*
F4 and F9 Compliance for some ColourPanel Designs.
Refer to PS1 for guidance

Available colours

Black	Thunder	Woodland Slate Grey	Frost

Custom colours available on request


ColourPanel Classic


ColourPanel Classic

*To comply with **F4** (Safety From Falling) and **F9** (Pool Fencing) **NZBC** requirements, all products must be installed as per Boundaryline’s PS1
More information about ColourPanel and compliance is available at boundaryline.co.nz.

COLOURPANEL
Technical Drawings

Visit boundaryline.co.nz for detailed technical drawings

Classic



Slat Top



Classic Gate



(Kitset)

Slat Top Gate



Sliding gates and custom gate sizes available on request

To comply with **F4** (Safety From Falling) and **F9** (Pool Fencing) **NZBC** requirements, all products must be installed as per Boundaryline's PS1
More information about ColourPanel and compliance is available at boundaryline.co.nz

Secure and stylish fencing that's built to last

C-post System



The versatility of the C-post system, utilised by ColourPanel, ColourSlat and SmartWall, allows for the seamless integration of these fence panels to create a unified and appealing boundary.

Incorporating Permeability

The convenient integration offers the ability to seamlessly incorporate permeable fence panels, such as ColourSlat, into your fence line. This allows for natural airflow and light penetration, while also meeting any permeability requirements for council compliance.

Modular Design

The modular design ensures a quick and simple installation process. The C-post system can be easily attached to new or existing posts or columns. This enables the creation of a unique, stylish, and visually interesting fence line that reflects the character of your property.

Smooth transitions between ColourPanel fence heights are easily achieved by gradually stepping the panels, or cutting the top of a panel on an angle, creating a gentle slope from one fence height to the next.





ColourPanel Classic | ColourSlat



ColourPanel Classic | ColourSlat

ColourPanel Classic

COLOURSLAT



ColourSlat

Smart integrated privacy screening

Boundaryline ColourSlat is the ultimate screen for courtyards and outdoor living areas, as it allows natural light penetration while still providing privacy.

ColourSlat is a complete system that combines the strength and durability of pre-finished coloured steel, offering a low-maintenance and long-lasting fence or screen solution.

ColourSlat is a modular system designed for easy installation. The C-post system allows it to integrate seamlessly with ColourPanel and SmartWall fencing to create an attractive, visually interesting fence line, or it can be installed as a stand-alone fence or screen system.



ColourSlat



ColourSlat

COLOUR**SLAT**

Design Options

Steel



Panel height 1200 / 1500 / 1800mm
Post centres 2380mm
Panel profile Steel slats
Slat Size 55x7.5mm
Slat Spacing 25mm
Post size 65x50mm C-post





Design Features



Ideal For Screening

Provides privacy without being closed in

Pre-Finished Components

All steel parts are colour matched

Long Term Durability

Powder coated steel components

Quick and Simple Installation

All modular components and minimal site disturbance

C-post Integration

Can be integrated with ColourPanel and SmartWall

Available colours

Black | Thunder | Woodland Slate Grey

Custom colours available on request





COLOURSLAT
Technical Drawings

Visit boundaryline.co.nz for detailed technical drawings

Steel



Steel Gate



Custom gate sizes available on request


ColourSlat

C-post Integration

The versatile design of the C-post and rail system allows for seamless integration of ColourSlat, SmartWall and ColourPanel and fencing within any fence line.




ColourSlat Gates | SmartWall Vertical


ColourSlat | SmartWall Vertical



ColourSlat | SmartWall Vertical

SMARTWALL

Blending seamlessly with natural surroundings

Create beautiful, natural boundaries that complement your landscape with Boundaryline's smart alternative to timber fencing.

SmartWall features steel posts and rails combined with Cross Laminated Timber (CLT) palings to prevent twisting and warping over time, ensuring a premium looking boundary solution that lasts for years.

CLT palings can be stained or painted to suit your property's aesthetic, or left to develop a natural silver-grey patina over time. With its same-both-sides design, SmartWall delivers a tidy, elegant finish and exceptional stability for any project.

Thanks to its superior acoustic performance, SmartWall is the ideal choice for both residential and commercial applications, including childcare centres and retirement villages, where noise reduction is essential.

SmartWall utilises the C-post system, allowing it to integrate seamlessly with ColourPanel and ColourSlat fencing. Its modular components make SmartWall quick and simple to install, with matching gates available for a cohesive finish.



SmartWall Vertical



SmartWall Horizontal

SmartWall Vertical

SMART**WALL**

Design Options

Horizontal



Panel height 1200 / 1500 / 1800mm
Post centres 1830mm
Panel profile CLT palings
Post size 65x50mm C-post

Vertical



Panel height 1800mm
Post centres 2250mm
Panel profile CLT palings
Post size 65x50mm C-post

Horizontal Slat Top



Panel height 1500 / 1800 / 2100mm
Post centres 1830mm
Panel profile CLT palings and steel slats
Slat Size 55x7.5mm
Slat Spacing 25mm
Post size 65x50mm C-post

Vertical Slat Top



Panel height 1500 / 1800 / 2100mm
Post centres 2250mm
Panel profile CLT palings and steel slats
Slat Size 55x7.5mm
Slat Spacing 25mm
Post size 65x50mm C-post

Design Features



Complete Privacy

Cross Laminated Timber (CLT) palings are tongue and groove to prevent any gaps

Ultimate Stability Radiata Pine

CLT palings for ultimate stability

Stainable Palings

CLT palings can be stained or painted, just like a traditional timber fence

Structural Integrity

Pre-finished steel posts and rails prevents twisting and warping over time

Superior Acoustic Properties

Ideal for the reduction of noise beside busy roads and child care centres

F4 and F9 Compliance*

F4 and F9 Compliance for some SmartWall Designs.
Refer to PS1 for guidance

Available colours
Posts and rails only

Black | Thunder | Woodland Slate Grey | Frost

Custom colours available on request


SmartWall Vertical (stained)


SmartWall Horizontal Slat Top

*To comply with **F4** (Safety From Falling) and **F9** (Pool Fencing) **NZBC** requirements, all products must be installed as per Boundaryline's PS1
More information about DuraPanel and compliance is available at boundaryline.co.nz.

SMART**WALL**

Technical Drawings

Visit boundaryline.co.nz for detailed technical drawings

Horizontal



Vertical



Horizontal Gates



Vertical Gates



Custom gate sizes available on request

*To comply with **F4** (Safety From Falling) and **F9** (Pool Fencing) **NZBC** requirements, all products must be installed as per Boundaryline's PS1
More information about SmartWall and compliance is available at boundaryline.co.nz


SmartWall Horizontal

The sleek, noise reducing fence with street appeal

Acoustic Properties

The acoustic properties of SmartWall makes it the ideal choice for medium density housing, childcare centres and homes located near busy roads. Visit boundaryline.co.nz to download the SmartWall acoustic performance report.

CLT Palings

Cross Laminated Timber (CLT) palings are a cross laminated timber plank developed using high performance European glue lamination technology.

The gluing of three layers of timber, with the middle layer running perpendicular to the outer layers, provides maximum stability and strength, reducing the twisting and warping that is common in traditional timber fencing.

The CLT palings are treated using the environmentally preferable MicroPro timber treatment, which is GreenGuard certified for use in play areas and child care centres for children of all ages.



C-post Integration

The versatile design of the C-post and rail system allows for seamless integration of SmartWall, ColourPanel and ColourSlat fencing within any fence line.




SmartWall Horizontal (stained)

Driveway Gates

Double swing or sliding gate configurations custom manufactured on request. Available in both vertical and horizontal orientations, and as slat top.



SLEEKWALL


SleekWall Slat Horizontal

The premium fence and screen solution


SleekWall Slat Horizontal


SleekWall Solid Vertical

The premium design in fencing, Boundaryline SleekWall, is perfect for designers and discerning homeowners looking for a feature fence that makes a bold statement of style and functionality.

SleekWall is a high quality aluminium fence available as either a slat or solid option. SleekWall Slat features sturdy slats, while SleekWall Solid offers interlocking tongue and groove palings for complete privacy. Fixings are hidden beneath channel covers, creating seamless, refined appearance.

Designed with modular components, SleekWall is easy to install, with the option to choose the orientation of the palings or slats to suit your vision.

SleekWall's aluminium construction and powder coated finish provide a low maintenance, long lasting and attractive fence solution.

SLEEK**WALL**

Design Options

Horizontal Slat



Panel height — 1200 / 1500 / 1800mm
Panel width — 1800 / 2400mm
Post centres — 1865 / 2465mm
Panel profile — Aluminium slats
Slat Size — 100x16mm
Slat Spacing — 18mm
Post size — 65x65mm posts

Vertical Slat



Panel height — 1800mm
Panel width — 1775mm
Post centres — 1840mm
Panel profile — Aluminium slats
Slat Size — 100x16mm
Slat Spacing — 18mm
Post size — 65x65mm posts

Horizontal Solid



Panel height — 1200 / 1500 / 1800mm
Panel width — 1800mm
Post centres — 1865mm
Panel profile — Aluminium palings
Paling Size — 145x16mm
Post size — 65x65mm posts

Vertical Solid



Panel height — 1800mm
Panel width — 1760mm
Post centres — 1825mm
Panel profile — Aluminium palings
Paling size — 145x16mm
Post size — 65x65mm posts

Slat Top



Panel height — 1800mm
Panel width — 1800mm
Post centres — 1865mm
Panel profile — Aluminium palings and slats
Paling size — 145x16mm
Slat size — 100x16mm
Slat spacing — 18mm
Post size — 65x65mm posts

Design Features



Slats or Palings

Available with slats for screening or palings for a solid fence line

Aluminium Construction

Strength, durability and low maintenance

Quick and Simple Installation

Modular system with screw on channels, one screw each side per slat or paling is all that is required

Pre-finished Modular Components

All parts are colour matched with our simple modular system and hidden fixings for a clean, refined profile

F4 and F9 Compliance*

F4 and F9 Compliance for some SleekWall Designs.
Refer to PS1 for guidance

Available colours

Black | Thunder | Frost

Custom colours available on request


SleekWall Slat Vertical


SleekWall Slat Horizontal

*To comply with **F4** (Safety From Falling) and **F9** (Pool Fencing) **NZBC** requirements, all products must be installed as per Boundaryline's PS1
More information about DuraPanel and compliance is available at boundaryline.co.nz.

SLEEK**WALL**

Technical Drawings

Visit boundaryline.co.nz for detailed technical drawings

Slat



Solid



Slat Top



*To comply with **F4** (Safety From Falling) and **F9** (Pool Fencing) **NZBC** requirements, all products must be installed as per Boundaryline's PS1
More information about SleekWall and compliance is available at boundaryline.co.nz

SLEEK**WALL**

Privacy Screens



Modular design for a sleek and modern aesthetic

SleekWall Screens are a simple and cost effective aluminium privacy screen, and are designed to be quick and adaptable to install onsite. These aluminium screens offer a practical solution for various applications, providing both functionality and aesthetic appeal.

Supplied as a kitset, each orientation comes in two size options available, and can be trimmed on-site for a custom fit.

Whether you're enhancing privacy, creating partitions, or adding a stylish touch to your outdoor space, SleekWall Screens deliver an efficient and versatile option.

Horizontal Screen





Height ——— Up to 2430mm
Width ——— 1200 / 1800 / 2400mm
Profile ——— Aluminium slats
Slat size ——— 100x16mm
Slat spacing ——— 18mm
Post size ——— 65x65mm
SleekWall Screens can be cut down to fit onsite

Vertical Screen





Height ——— Up to 2430mm
Width ——— 1230 / 1755mm
Profile ——— Aluminium slats
Slat size ——— 100x16mm
Slat spacing ——— 18mm
Post size ——— 65x65mm
SleekWall Screens can be cut down to fit onsite



SleekWall Solid Vertical | SleekWall Slat Vertical

Quick and Easy Installation

SleekWall fence, gate and screen systems allow for a quick and simple installation process.

All components are designed to seamlessly connect, with all fixings hidden within concealed channels, creating a clean and modern look

Versatility

SleekWall's modular design makes it incredibly versatile, adapting seamlessly to a wide range of applications. Its adaptability allows for creative solutions in various settings, from residential properties to commercial spaces.

SleekWall Solid and SleekWall Slat can be used together along a single fence line to provide varying degrees of permeability.

SLEEK**WALL**
Pedestrian Gates

Adjustable Pedestrian Gates

Assembled pedestrian gates with removable stiles and componentry. Designed for easy on-site customisation.

These gates can be easily disassembled, resized, and reassembled on-site to fit any space.

Sleekwall Slat



Height 1200 / 1500 / 1800mm
Width 1000mm (adjustable width)
Slat size 100x16mm
Slat spacing 18mm
Stile size 50x50mm
Rail size 100x50mm
Post size 65x65mm
Ex. stock

Sleekwall Solid



Height 1800mm
Width 1000mm (adjustable width)
Paling size 145x16mm
Stile size 50x50mm
Rail size 100x50mm
Post size 65x65mm
Ex. stock

Pedestrian Gates

Fully welded pedestrian gates. Standard sizing options listed below to match our SleekWall fencing range.

Made to order custom sizing options available to suit your requirements.

Sleekwall Slat



Height 1200 / 1500 / 1800mm
Width 900 - 1200mm
Slat size 100x16mm
Slat spacing 18mm
Stile size 50x50mm
Rail size 100x50mm
Post size 65x65mm

Sleekwall Solid



Height 1200 / 1500 / 1800mm
Width 900 - 1200mm
Paling size 145x16mm
Stile size 50x50mm
Rail size 100x50mm
Post size 65x65mm

Detailed technical drawings are available at boundaryline.co.nz



SleekWall Slat Horizontal

SLEEK**WALL**
Driveway and Sliding Gates

Driveway Swing Gates

Fully welded driveway swing gates. Manufactured to order with standard sizing options listed below or you can fully customise your swing gate to suit your requirements.

Made to order custom sizing options available to suit your requirements.

Sleekwall Slat



Height 1200 / 1500 / 1800mm
Width up to 3600mm*
Slat size 100x16mm
Slat spacing 18mm
Stile size 50x50mm
Rail size 100x50mm
Post size 100x100mm

Sleekwall Solid



Height 1200 / 1500 / 1800mm
Width up to 3600mm*
Paling size 145x16mm
Stile size 50x50mm
Rail size 100x50mm
Post size 100x100mm

Sliding Gates

Fully welded driveway sliding gates. Manufactured to order with standard sizing options listed below or fully customised to suit your requirements.

Measurements do not include ground clearance required for wheels and gate track. Typical clearance from finished ground level is 43mm.

Sleekwall Slat



Height 1200 / 1500 / 1800mm
Width Up to 6000mm*
Slat size 100x16mm
Slat spacing 18mm
Stile size 50x50mm
Rail size 100x50mm
Post size 65x65mm

Sleekwall Solid



Height 1200 / 1500 / 1800mm
Width Up to 6000mm*
Paling size 145x16mm
Stile size 50x50mm
Rail size 100x50mm
Post size 100x100mm

For longer gate options our team will work with you to design your custom gate solution.



SleekWall Solid Horizontal

FLAMEWALL



Painted FlameWall with SmartWall

New Zealand's first fire-rated fence system

FlameWall is New Zealand's first fire-rated fence system, specifically designed to enhance outdoor spaces while ensuring safety and compliance.

Engineered for simple installation, FlameWall is a modular solution tested to an FRR rating of -/60/-, making it ideal for structures, such as garden sheds, to be placed on a legal boundary.

Painted FlameWall with SmartWall

FLAME**WALL**

Design Options

FlameWall



Panel height — 1800mm + 50-400mm concrete wall
Panel length — 2200mm
Post centre — 2180mm
Panel profile — Fire resistant concrete panels
Panel weight — 45kg per panel (3x concrete panels)
Post size — 100x50mm steel C-posts



FlameWall allows for the placement of structures against the legal boundary



Painted FlameWall with SmartWall



Painted FlameWall with Shed

Design Features



Fire-Rated Protection

Tested to an FRR rating of -/60/-

Modular System

Designed for simple installation

Space Maximisation

Optimises outdoor space

Seamless Integration

Integrates with any Boundaryline fence system

Dual Sided Utilisation

Can be utilised on both sides of the legal boundary

Customisable Appearance

Paintable surface

C3 and C6 Compliance*

Compliant with the NZBC C3 and C6. *Refer to PS1 for guidance*

Available colours
Posts and rails only

Black

Custom colours available on request



Painted FlameWall with SmartWall



Unpainted FlameWall with SmartWall

*To comply with **F4** (Safety From Falling) and **F9** (Pool Fencing) **NZBC** requirements, all products must be installed as per Boundaryline's PS1
More information about DuraPanel and compliance is available at boundaryline.co.nz.

GREEN **SCREEN**


Green Screen

Green fencing made easy


Green Screen


Green Screen

Green Screen is a unique mesh fence panel designed to support climbers and plants.

As a modular mesh fence system, Green Screen creates an initial barrier while its integrated mesh design encourages the growth of climbing plants, providing maximum support even for the most delicate species.

Over time, the fence forms a dense, uniform green wall that blends with nature and enhances the landscape. Green Screen is both a practical and aesthetically pleasing feature for any property.

This component-based system is easy to install between standard slimline posts or any column design of your choice.

GREEN **SCREEN**

Design Options

Horizontal



Panel height 1220mm
Panel length 2250mm
Panel width 50mm
Panel profile Aluminium mesh panel
Aperture 50x50mm
Post size 50x50mm

Vertical



Panel height 2250mm
Panel length 1220mm
Panel width 50mm
Panel profile Aluminium mesh panel
Aperture 50x50mm
Post size 50x50mm





Design Features



The Living Fence

Designed to enable the growth of climbing plants

Quick and Simple Installation

All components designed to make installation easy

Modular System

Can be integrated with other Boundaryline fencing systems

Feature Fencing

Makes your fencing a standout feature in your landscape

Available colours

Black

Custom colours available on request





*To comply with **F4** (Safety From Falling) and **F9** (Pool Fencing) **NZBC** requirements, all products must be installed as per Boundaryline's PS1
More information about DuraPanel and compliance is available at boundaryline.co.nz.

BIN STORES


SleekWall Slat Four Sided Bin Store

Whether you need to discreetly conceal bins for a cleaner streetscape or create a secure and functional storage area, Boundaryline offers durable, built-to-last bin store solutions for residential and commercial environments.

Our bin store systems are designed to suit a wide variety of properties, projects, and developments while delivering practical storage without compromising appearance.

Designed from our DuraPanel, PicketPanel, and SleekWall systems, each solution is built for strength, longevity, and design cohesion so it integrates seamlessly with surrounding architecture. Designs are available as either a four-sided standalone bin store or a three-sided option for installation against a fence or wall.

The result is a storage solution that keeps outdoor spaces organised and visually consistent while standing up to everyday use.


PicketPanel Atlas Three Sided Bin Store

BIN **STORE KITS**
Design Options

Standard bin store kit designs are shown here. The modular design allows for easy size adjustments to be done on-site.

For designs outside of these configurations, or for other Boundaryline products as custom bin stores, contact the team at Boundaryline.


PicketPanel Juno Four Sided Bin Store

Dura**Panel** Axis





Bin store height	1200mm
Bin store width	1830mm
Bin store depth	920mm
Bin store profile	Aluminium pickets
Picket size	50x25mm
Picket spacing	40mm
Post size	50x50mm
Colours	Black

Picket**Panel** Atlas





Bin store height	1200mm
Bin store width	1900mm
Bin store depth	1000mm
Bin store profile	Aluminium pickets
Picket size	50x16mm
Picket spacing	50mm
Post size	50x50mm
Colours	Black / Frost

Picket**Panel** Juno





Bin store height	1200mm
Bin store width	1900mm
Bin store depth	1000mm
Bin store profile	Aluminium pickets
Picket size	70x16mm
Picket spacing	30mm
Post size	65x65mm
Colours	Black / Frost

Picket**Panel** Opus





Bin store height	1200mm
Bin store width	1900mm
Bin store depth	1000mm
Bin store profile	Aluminium pickets
Picket size	50x16 and 70x16mm
Picket spacing	30, 40 and 50mm
Post size	50x50mm
Colours	Black / Frost

Sleek**Wall** Slat





Bin store height	1162mm
Bin store width	1900mm
Bin store depth	1000mm
Bin store profile	Aluminium slats
Slat size	100x16mm
Slat spacing	18mm
Post size	65x65mm
Colours	Black / Frost

More information about our bin stores and technical drawings are available at boundaryline.co.nz

POST&RAIL

New Zealand's versatile fence


Post&Rail 3-Rail


Post&Rail 2-Rail


Post&Rail 3-Rail

Boundaryline Post&Rail timber fencing systems are a popular choice for those wanting a classic look.

Post&Rail is a practical and cost effective solution that works well for lifestyle properties, country farms, and new subdivisions. It's designed to resist warping or twisting, providing lasting functionality for your property. Installation is quick and simple, with no fixings required. The straight through mortise means the components simply fit together.

Our Post&Rail fences are made from treated pine or naturally durable macrocarpa, offering a reliable and natural fencing option. Both materials feature naturally occuring knots and blemishes, enhancing the character of the timber without affecting its structural integrity.

With an extensive range of options and the ability to make custom systems. We can turn any design into a reality.

POST&RAIL

Design Options

2-Rail



Post sizes 125x125 / 150x150 / 200x200mm
Rail length 2100 / 2400mm
Height 950 - 1050mm
Material Treated Radiata Pine / Macrocarpa

3-Rail



Post sizes 125x125 / 150x150 / 200x200mm
Rail length 2100 / 2400mm
Height 1100 - 1200mm
Material Treated Radiata Pine / Macrocarpa

Post Tops

Speak to us about custom post tops



Chamfered
Standard



Collared



Angled



Round



Design Features

Premium Grade Timber

Superior landscaping timber. Selected to avoid twisting and splitting

Post Top Options

Standard chamfered finish, or choose from a selection of different post tops to suit your vision

Pine or Macrocarpa

Treated Radiata Pine for guaranteed durability, or chemical free, naturally durable Macrocarpa

Straight Through Mortise

Strong and durable, easy to install and no bulky brackets

Follows land contour

Can be installed to follow the contour of the land

Custom Design

Available as a standard two rail or three rail system, or work with us to create a custom design for your property


Post&Rail Custom 2-Rail


Post&Rail Custom 2-Rail


Post&Rail 3-Rail


Post&Rail 2-Rail

*To comply with **F4** (Safety From Falling) and **F9** (Pool Fencing) **NZBC** requirements, all products must be installed as per Boundaryline's PS1
More information about DuraPanel and compliance is available at boundaryline.co.nz.

CUSTOM **ENTRANCEWAYS AND SIGNS**

Enhance the appeal of your property with a custom made sign, or a fully custom entranceway to match your Post&Rail fencing.

We offer personalised signage, including CNC-engraved logos on laminated Macrocarpa or Treated Radiata Pine, expertly crafted gates and distinctive feature posts to ensure your entrance stands out.

Connect with our team to discuss your ideas and we will work with you to create an entranceway that perfectly aligns with your vision.







LIFESTYLE TIMBER GATES


Oakfield

Boundaryline Lifestyle Timber Gates offer rustic charm combined with modern functionality. Made in a traditional style to match our Post&Rail fencing, they serve as a welcoming entrance to your property.

Available in three designs, these gates come in a wide range of widths to fit any driveway, with the option for custom lengths made to order.

With a focus on manufacturing quality, these classic timber gates feature thick rails for strength and dressed timber for a sleek finish. The look is completed with durable, black powder coated hardware and hinges.


Sheffield


Mayfield

Gate Features



Made to Order

All gates are custom made to order to fit your needs

Wrap Around Strap Hinges

For strength and durability

Dressed Timber

For a refined appearance

Bolted Construction

All joints are fixed with black bolts for strength

Black Hardware and Latches

For a premium look



Oakfield

Heights 900 / 1000 / 1200mm
Lengths 900 - 3000mm *made to order*
Rail size 90x32mm
Material Treated Radiata Pine / Macrocarpa



Mayfield

Heights 900 / 1000 / 1200mm
Lengths 900 - 3000mm *made to order*
Rail size 90x32mm
Material Treated Radiata Pine / Macrocarpa



Sheffield

Heights 900 / 1000 / 1200mm
Lengths 900 - 3000mm *made to order*
Rail size 90x32mm
Material Treated Radiata Pine / Macrocarpa

TIMBER **BOLLARDS**



Angle Top with Collar

Boundaryline Bollards are the ideal, cost-effective solution to block vehicle access to parks, reserves, and walkways, while still allowing easy entry for pedestrians and cyclists.

Boundaryline Bollards are available in our standard designs or can be made to your specifications.

We use premium landscape-grade timbers such as Treated Radiata Pine and Macrocarpa. Additionally, a selection of sustainable hardwoods is available if required.

We also manufacture custom designed bollards, including metalwork features and signage.



Custom Angle Top

Bollard Solutions

Post sizes ——— 125x125 / 150x150 / 200x200mm
Heights ——— 950 /1200 / 1500 / 1800mm
Material ——— Treated pine / macrocarpa
Custom designs and sizes available. Contact us to discuss custom solutions.



Collared Square Top



Square Top



Angle Top



Round Top

HERITAGE
CUSTOM GATES **AND FENCES**

Enhance and secure your property

Boundaryline can provide custom gates for all kinds of projects and many of these are taken care of by the Heritage team.

Heritage Gates and Fences is an associate brand of Boundaryline, with over 25 years of experience in manufacturing high quality gate and fence solutions.

Heritage Gates and Fences started out manufacturing wooden gates but now focus on producing traditional-style gates in aluminium to achieve the same look but with low maintenance and long term durability.

The range also includes open-style gates and contemporary designs along with the ability to produce gates to a custom design.



Heritage Kingston


Heritage Nashville



Heritage Staten

HERITAGE **GATES & FENCES**


Heritage Kingston


Heritage Kansas


Heritage Brunswick


Heritage Oakland


Heritage Kingston


Heritage Wisconsin


Heritage Huntington


Heritage Seattle


Heritage Ashland


Heritage Nashville

Photographers

Alana Maulder
AJ Photography

André Vroon
André Vroon Photography

Caleb Walsh
Cab Creative

Dennis Radermacher
Lightforge Photography

Elizabeth Pitcorn / Wayne Cook *(Drone images)*
C I Marketing

Hi Vis Creative

Lissa Reydon
Lissa Reydon Photography

Marina Matthews
Marina Matthews Photography

Mark Scowen
Mark Scowen Photography

Paul Brandon
Paul Brandon Films

Simon Larkin
Larkin Design

Stu Jackson

Wide Media
Wide Photography

The purpose of this catalogue is to showcase the Boundaryline range of fencing and gate solutions available from Boundaryline Ltd. While Boundaryline Ltd has made every effort to portray accurate descriptions and information within this catalogue, Boundaryline Ltd cannot accept any responsibility for specifications or completed work based on information in this catalogue. In all construction projects, care must be taken to comply with all relevant statutory requirements and recommended codes of practice. The customer or user must establish the suitability of any product purchased for their own safe use.

Boundaryline Ltd reserves the right to update or change any specifications in this catalogue without prior notice. Products may be deleted, amended, substituted or changed at the sole discretion of Boundaryline Ltd.

Trademarks: Boundaryline, Terranota, ColourPanel, ColourSlat, DuraPanel, FlameWall, Green Screen, PicketPanel, SentryPanel, SleekWall and SmartWall are trademarks of Boundaryline Ltd, some of which are registered trademarks. Boundaryline Ltd will not hesitate to take legal action to protect the company's proprietary rights in this regard.

Any measurements shown are intended as a guide only. Please confirm any critical measurement with Boundaryline Ltd.

© Copyright Boundaryline Ltd June 2026. All rights reserved.
No part of this publication may be reproduced in any form without written permission of Boundaryline Ltd.



Auckland
43 Noel Burnside Road
09 250 1144

Christchurch
19 Mānia Road
03 347 3191

Invercargill
60 Basstian Street
03 211 5145

0800 003 006
enquiries@boundaryline.co.nz
boundaryline.co.nz